



NO.2121491242



Certification for Safe Transport of Chemical Goods

锂电池类货物

样品名称: 锂电池/

锂电池/成品备件/(锂电池组/

锂离子电池组)(可充电) RRC1120 3.7Vdc, 2000mAh, 7.4Wh

Sample name:

LITHIUMION BATTERY (RECHARGEABLE) RRC1120 3.7Vdc, 2000mAh,

7.4Wh

委托单位:

RRC power solutions GmbH RRC power solutions GmbH

生产单位:

新盛力科技股份有限公司 STL Technology Co., Ltd.



SICIT上海化工院检测有阻公司

Shanghai Institute of Chemical Industry Testing Co., Ltd





		V 14 0 1111 11: 1	1 11 11	110	. 21211312
		Certification for Safe Transpor	rt of Chemical Goods		Page 1/
样品名称 Sample	中文 Chinese	锂电池/成品备件/(锂电池 锂离子电池组)(可充电)]		mAh, 7.4Wh	
name	英文 English	LITHIUMION BATTERY (RECHARGEABLE) RRC1120 3.7Vdc, 2000mAh, 7.4Wh			
委托单位 Consignor		RRC power solutions GmbH RRC power solutions GmbH			
生产单位 Manufacturer		新盛力科技股份有限公司 STL Technology Co., Ltd.			
检验方法、程序 Inspection method and procedure		国际海事组织《国际海运危险货物规则》(2018版) IMO International Maritime Dangerous Goods Code (2018 Edition)			
样品外观 Sample appearance		银灰色,黑色双色塑胶外壳 Silver grey and black Plastics cement shell			
包装件信息 Package information		重量≤30kg。 Weight≤30kg.			
	池种类 tery type	型号 Model	容量Capacity /锂含量Li contel	放置方 nt Placem	1 1
1 Recharg	离子单电芯电池 geable Li-ion cell battery	RRC1120	2000mAh 7. 4WI		
型 Li 2. IM 根 Th 18	离子电池。 thium ion batt 海运按照国际 [O IMDG Code) 据特殊规定188, e article is ne 8.	海事组织《国际海运危险货 该物品不受IMO IMDG Code其他 ot subject to other provisio	条款限制。		
结 CONCLU 无 No.	0	kaging requirements)			派 八司.
· SS ON I	检验日期: nspection Date	<u> </u>		生效日期: Effective Date:	2021-01-01
备注 Comment					刊敏了

审核 Checker:

主检 Appraiser: A 持



货物运输条件鉴定书


Certification for Safe Transport of Chemical Goods

No. Inspection results and other things	
本报告所述锂电池接照《国际海运危险货物规则》(2018版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IMDG CODE 2018 EDITION 2.9.4.5.	
本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812000600114034 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.	
理电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.	
电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.	
每个包装件必须标示恰当的锂电池标记。装有锂电池的包装件,符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第IB部分规定的,黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签,应视为符合本特殊规定18定。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Go by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No.9 shall be deemed to meet the provisions of this special provision 188.	s oods
6	
7	
-验证码:417954-	

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

No. 2121491242 Page 3/3





报告结束

