★ 密 海 Air



仅限货机 CAO







性 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

危险品

样品名称:

锂离子电池組 RRC1120 3.6V 2.35Ah 8.46Wh

Sample name:

Rechargeable Battery Pack Li-Ion RRC1120 3.6V 2.35Ah 8.46Wh

RRC power solutions GmbH

委托单位:

RRC power solutions GmbH

生产单位:

佐茂股份有限公司

Joules Miles Co., Ltd.

检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd





货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

Page 1/3

			ransport of Chemical Ge			
	ح بد	锂离子电池組 RRC1120	3. 6V 2. 35Ah 8. 46Wh			
14 10 10 11	中文					
样品名称						
Sample Na	2000 100	Rechargeable Battery	Pack Li-Ion RRC1120 3.6	SV 2.35Ah 8.46Wh		
	英文					
	English					
-	10 36 12	RRC power solutions (GmbII			
委托单位		RRC power solutions GmbII				
Consignor		佐茂股份有限公司				
生产单位		Joules Miles Co., Ltd.				
Manufacturer						
检验方法、程序		国际航空运输协会《危险品规则》63版 IATA Dangerous Goods Regulations (DGR) 63rd Edition				
Inspection method and procedure		G 5000 500 1000 1000 1000 1000 1000 1000				
样品外观		黑色塑料溥膜外壳				
Sample appearance		Black Plastic film shell				
包装件信息		锂电池总净重≤10kg。				
	ge information	Lithium batteries to	tal net weight≤10kg.			
序号	电池种类	型号	容量Capacity	放置方式	单颗重量kg	数量
NO.	Battery type	Model	/锂含量Li content	Placement	Unit weight	Quantity
	。电锂离子单电芯电池	RRC1120	2.35Ah, 8.46Wh	电池单独运输	0.0421	200
3399	chargeable Limion ngle cell battery			Battery only		
SI		azards identificat	tion)			
	12 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C	azarus ruentirreat	.1011/			
	杂项。 Miscellaneous.					
	Miscerraneous.					
D						
SENTI FI CATION		\$P\$二种人 // 各版	口细则》为细的米面(6	Suggestion accord	ing to TATA	DGR)
空 コ	2. 空运按照国际		品规则》办理的类项(5	ouggestion accord	ing to inin	DOIL
0	Shipping name:Li	thium ion batteries				
定石	Class or division	n:9				
9	UN Number:UN3480					
_						
结 $^{\circ}_{0}$						
ST.	3. 包装要求 (Pac	kaging requirement	ts)			
结 论 CONCL USI ON	按包装说明965第11	按包装说明965第1B部分要求办理。				
0	The goods are page	ckaged according to t	he Packaging Instruction	1 965 section IB.		
ž	(8)					
	仅限货机 Cargo Aircraft 0	nlv			(91)	
	cargo miterate of				草用专例如如	ETTIL
	检验日期:	2021-12-27	3期: 2021-12-27	生效日期: 202	201-01 + MX VI VI	14
	Inspection Dat	e: Issue	Date:	Effective Date:		-
	1			TI	- Aller	確
备注				\E_	En C	10
Commen	t				加加到	/
					At the	

批准 Approver:

主星

审核 Checker: 童学性

主检 Appraiser: 殿档幸



Certification for Safe Transport of Chemical Goods

序号 No.	检验结果及其他事项 Inspection results and other things				
1	本报告所述锂电池按照《危险品规则》(63版)[以下简称DGR] 3.9.2.6.1(e)规定的质量管理体系进行制造。 本报告所述锂电池不进行以回收或处置为目的的航空运输,不属于废弃锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 63rd 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.				
2	本报告所述锂电池已通过《联合国试验和标准手册》第111部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812100600392019 详细信息请扫描石侧二维码。 Please scan the QR code on the right for more information.				
3	锂电池完全封装在内包装内,位于坚固的刚性外包装中。 电池具有适当的防短路措施。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong rigid outer packaging. Cells and batteries are properly protected to prevent short circuits.				
4	按DGR IB部分托运的电池必须根据第8部分规定在托运人中报单中描述: 并且当使用航空货运单时, 货运单必须包含8.2.1和8.2.2中相关适用要求。 Cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as set out in Section 8, and the air waybill, when used, must contain the applicable information required by 8.2.1 and 8.2.2.				
5	除使用9类锂电池危险性标签(DGR图7.3.X)外,每个包装件必须按DGR图7.1.C所示做耐久清晰的标记。 每个包装件必须按DGR7.1.4.1(a)和(b)要求标记,此外当7.1.4.1(c)有要求时还必须标明包装件净重。 每个包装件必须贴有"仅限货机"标签(DGR图7.4.B)。 Each package must be durably and legibly marked with the mark shown in Figure 7.1.C in IATA DGR in addition to the Class 9-Lithium Battery hazard label (Figure 7.3.X in IATA DGR). Each package must be marked in accordance with the requirements of 7.1.4.1(a) and (b) in IATA DGR and in addition the net weight when required by 7.1.4.1(c) must be marked on the package. Each package must be labelled with the "Cargo Aircraft Only" label(Figure 7.4.B in IATA DGR).				
6	根据委托单位声明,本报告所述锂离子电池交付运输时,其荷电状态必须不超过额定容量的30%。 According to the statement of the consignor, lithium ion cells and batteries listed in this report must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity.				
7	电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。 Cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).				
	-验证码: 808195-				






Page 3/3









Model 型号 / 型號 RRC1120 Nominal Voltage 标称电压 / 標構電壓 3.60Vdc Nominal Capacity 2.35Ah 8.46Wh Max Charge Voltage 充电限制电压 4.20Vdc

