★密奏



仅限货机 CAO





中国认可 检验 INSPECTION CNAS 180071 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

危险品

样品名称: 锂离子电池组 RRC2054-2 14.4V 6900mAh 99.40Wh

Sample name: Rechargeable Smart Battery Pack Li-Ion RRC2054-2 14.4V 6900mAh 99.40Wh

委托单位: RRC power solutions GmbH RRC power solutions GmbH

生产单位: 新盛力科技股份有限公司 STL Technology Co., Ltd.



SICIT上海化工院检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd





检验检验

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

		Ce		ansport of Chemical G				
		中文	锂离子电池组 RRC2054-	-2 14.4V 6900mAh 99.40Wh	n			
样品。	名称	Chinese	D. L. C. C. Postania Posk II. Ion DDC2054-2 14 4V 6000mAb 99 40Wb					
Sample								
		英文	Rechargeable Smart Battery Pack Li-Ion RRC2054-2 14.4V 6900mAh 99.40Wh					
		English						
	ما ع	* /-	RRC power solutions (ambII				
委托单位 Consignor			RRC power solutions GmbH					
生产单位			新盛力科技股份有限公司					
Manufacturer			STL Technology Co., Ltd.					
检验方法、程序			国际航空运输协会《危险品规则》63版					
Inspection method and procedure			IATA Dangerous Goods Regulations (DGR) 63rd Edition					
样品外观			黑色塑胶外壳					
Sample appearance			Black Plastics cement shell					
包装件信息			锂电池总净重≤10kg。					
Package information			Lithium batteries total net weight≤10kg. 型号 容量Capacity 放置方式 单颗重量kg 数量					
序号 NO.		电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	单顆重量kg Unit weight	Quantity	
1		电锂离子电池组	RRC2054-2	6900mAh 99.4Wh	电池单独运输	0.439	20	
	Recha	argeable Li-ion			Battery only			
	1	battery 合除性识别(F	lazards identificat	ion)		2.6		
鉴定结论	I DENTI FI CATI ON CONCL USI ON	Shipping name:Li Class or divisio N Number:UN3480 3. 包装要求(Pac 按包装说明965第1	thium ion batteries n:9 ckaging requirement B部分要求办理。 ckaged according to the	ne Packaging Instruction		ling to IATA	DGR)	
备注 Comment		Inspection Date: 2021-12-22 Issue Date: 2021-12-23 Effective Date: 2022-01-01						

审核 Checker:

战之屿

主检 Appraiser: 殿档幸



货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212200611752607 Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things						
1	本报告所述锂电池按照《危险品规则》(63版)[以下简称DGR] 3.9.2.6.1(e)规定的质量管理体系进行制造。 本报告所述锂电池不属于因安全原因召回的锂电池。 本报告所述锂电池不进行以回收或处置为目的的航空运输,不属于废弃锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 63rd 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.						
2	本报告所述锂电池已通过《联合国试验和标准手册》第111部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3 试验概要编号 The UN38.3 Test Summary No.(s) 812100700189859 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.						
3	锂电池完全封装在内包装内,位于坚固的刚性外包装中。 电池具有适当的防短路措施。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong rigid outer packaging. Cells and batteries are properly protected to prevent short circuits.						
4	按DGR IB部分托运的电池必须根据第8部分规定在托运人申报单中描述: 并且当使用航空货运单时,货运单必须包含8.2.1和8.2.2中相关 适用要求。 Cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as set out in Section 8, and the air waybill, when used, must contain the applicable information required by 8.2.1 and 8.2.2.						
5	除使用9类锂电池危险性标签(DGR图7.3.X)外,每个包装件必须按DGR图7.1.C所示做耐久清晰的标记。 每个包装件必须按DGR7.1.4.1(a)和(b)要求标记,此外当7.1.4.1(c)有要求时还必须标明包装件净重。 每个包装件必须贴有"仅限货机"标签(DGR图7.4.B)。 Each package must be durably and legibly marked with the mark shown in Figure 7.1.C in IATA DGR in addition to the Class 9-Lithium Battery hazard label (Figure 7.3.X in IATA DGR). Each package must be marked in accordance with the requirements of 7.1.4.1(a) and (b) in IATA DGR and in addition the net weight when required by 7.1.4.1(c) must be marked on the package. Each package must be labelled with the "Cargo Aircraft Only" label(Figure 7.4.B in IATA DGR).						
6	根据委托单位声明,本报告所述锂离子电池交付运输时,其荷电状态必须不超过额定容量的30%。 According to the statement of the consignor, lithium ion cells and batteries listed in this report must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity.						
7	电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。 Cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).						
	-验证码:672629-						

Page 3/3



报告结束

